

Flora of Taylor Point

Stuart Worboys and Colin Cox

The following is a report on flora surveys undertaken of Lot 10 on RP724040, Moore Street Trinity Beach. The 18 hectare allotment, known as Taylor Point, was surveyed on 16 and 17 May 2026. The survey was conducted with the assistance of Colin Cox and property owner, Audrius Macernis, and build on detailed wildlife surveys undertaken on the site by members and friends of Birds Australia.

The site

Taylor Point is an 80 m high rocky prominence on the coastline of the Wet Tropics bioregion, located approximately 18 km north-west of Cairns. Its bedrock is an isolated occurrence of Mt Formartine Granite, part of the same late-Devonian age geological unit that also outcrops at Edge Hill's Red Arrow walk and north of Buchan's Point.

The oldest available aerial photography (<https://qimagery.information.qld.gov.au/>), dating from 1952, show the site was fully vegetated with what appears to be open canopy vegetation consistent with eucalypt-dominated woodland, and darker closed canopy vegetation consistent with rainforest.

Although there has been some limited clearing over the years, the site's canopy remains largely intact, and is mapped as remnant vegetation by the State Government.



Figure 1: Coastline at Taylor Point.

Survey outcomes

This report provides firstly a structural description of the vegetation for three sites assessed across the property. It also includes a vascular plant species list, building on lists prepared since 2021 by the late Tom Collis, Barry Muir, Peter Newling, Hidetoshi Kudo, Stuart Worboys, and others. Research grade observations from inaturalist.org are included if that species is missing from the original list.

The report is not intended as a formal environmental assessment – this is work better left to the professionals.

Rainforest vegetation

Two small rainforest patches occur on the summit and south-west facing slopes of Taylor Point. We characterised one of these patches as follows:

Regrowth simple-complex mesophyll vine forest on moderately steep west facing slope. Abundant small vines, epiphytes absent, palms rare, ground ferns absent.

CANOPY: 16-22 m tall. Dominated by *Chionanthus ramiflorus* (northern olive) and *Litsea fawcettiana* (brown bollywood).

SUBCANOPY: Approx. 11-16 m tall. Species present include *Chionanthus ramiflorus*, *Casearia grewiifolia* var. *gelonidoides*, **Mangifera indica* (mango) and an unidentified *Dysoxylum sens. lat.*

LOW TREES: 8-11 m tall. *Glochidion harveyanum* (Harvey's buttonwood), *Ptychosperma elegans* (solitaire palm).

Woodland

Above Taylor Point's northern tip is a eucalypt-dominated woodland on a gentle north facing ridge with a sparse understorey of low trees and a grass/*Scleria* dominated ground stratum.

CANOPY: 8-15 m tall. Dominated by *Eucalyptus leptophleba* (Molloy box) and *Corymbia clarksoniana* (Clarkson's bloodwood) with *Corymbia tessellaris* (Moreton Bay ash) and *Eucalyptus platyphylla* (poplar gum).

SUBCANOPY: 5-8 m. *Corymbia leptophleba*, *Eucalyptus platyphylla*, *Livistona muelleri*, *Planchonia careya*.

Open forest

Open forest on moderately steep west facing slope with a rainforest understorey.

CANOPY: 16-25 m tall. Dominated by *Eucalyptus tereticornis* (forest red gum) with *Eucalyptus platyphylla*, *Melia azedarach* (white cedar), and *Albizia procera* (forest siris).

SUBCANOPY: 10-16 m. Dominated by rainforest pioneer species *Mallotus philippensis* (red kamala) and *Chionanthus ramiflorus* with *Jagera pseudorhus* (foambark), *Mangifera indica*, *Corymbia clarksoniana*, *Terminalia microcarpa* (damson plum) and *Cordia dichotoma* (glue berry).

Species list

The following species list is a compilation of all previous surveys at site, including iNaturalist observations. Separate lists (i.e., an iNaturalist list and a list based on our field surveys) are attached as Excel spreadsheets. It was not possible to check all precise location of all iNaturalist observations – some may fall a few metres outside the property boundaries. Scientific names used in this list follow Queensland Herbarium's 2024 Census

Some obviously cultivated plants are listed, but these observations are not comprehensive.

Overview

The list records 319 vascular plant species from the Taylor Point site. The most species rich plant families are the legume family (Leguminosae), with 39 species, the grass family (Poaceae) with 20 species, and the eucalypt family (Myrtaceae), with 14 species.



Figure 2: *Hoya australis*, a common vine.



Figure 3: *Broad-leaved paperbark* (*Melaleuca viridiflora*).



Figure 4: *Wild sisal* (*Furcraea selloa*).

Of the 319, 101 species, almost a third, are not native to Australia. The list of non-native species includes several significant weeds, including lantana (*Lantana camara*), purple trumpet vine (*Thunbergia grandiflora*), African tulip (*Spathodea campanulata*), *Hymenachne amplexicaulis* and Navua sedge (*Cyperus aromaticus*). Priority weeds, and tips of how to control them, can be found here:

- <https://www.dpi.qld.gov.au/business-priorities/biosecurity/invasive-plants-animals/plants-weeds>
- <https://weeds.brisbane.qld.gov.au/control-methods>

Only one species of conservation significance has been recorded. This is the Ant Plant, *Myrmecodia beccarii*, listed as Vulnerable under both Queensland and Commonwealth legislation. It was observed as an epiphyte in mangroves on the eastern edge of the property. A small number of special least concern plant species were observed, including *Dendrobium discolor* and *Dendrobium canaliculatum* – although not of conservation significance, special least concern species are recognised as popular garden plants that are commonly stolen.

Table 1: Species list. The list is divided into three main groups: ferns, cycads and conifers, and flowering plants. Non-native species are marked with an asterisk (*). Records taken from inaturalist.org are highlighted in grey. Common names are provided where known.

Family	Species	Common name
FERNS		
ASPLENIACEAE – ASPLENIUM FERNS	<i>Asplenium nidus</i>	Birds Nest Fern
LYGODIACEAE	<i>Lygodium microphyllum</i>	Climbing Maidenhair
POLYPODIACEAE	<i>Drynaria rigidula</i>	Basket Fern
	<i>Drynaria sparsisora</i>	
	<i>Platyserium hillii</i>	Elkhorn Fern
	<i>Pyrrosia longifolia</i>	Felt Fern
PTERIDACEAE	<i>Acrostichum speciosum</i>	
	<i>Adiantum atroviride</i>	Maidenhair Fern
	<i>Adiantum philippense</i>	
	* <i>Cheilanthes</i>	
	<i>Haplopteris ensiformis</i>	
	* <i>Pityrogramma calomelanos</i>	Silver Fern
CYCADS AND CONIFERS		
CYCADACEAE	<i>Cycas media subsp. banksii</i>	
PODOCARPACEAE	<i>Podocarpus grayae</i>	
FLOWERING PLANTS		
ACANTHACEAE	<i>Avicennia marina subsp. eucalyptifolia</i>	Grey Mangrove
	* <i>Barleria cristata</i>	
	* <i>Barleria strigosa</i>	
	<i>Pseuderanthemum variabile</i>	
	* <i>Thunbergia grandiflora</i>	Purple Trumpet Vine
AGAVACEAE	* <i>Furcraea selloa</i>	Wild Sisal
AIZOACEAE	<i>Sesuvium portulacastrum</i>	
AMARANTHACEAE	* <i>Alternanthera brasiliana</i>	
AMARYLLIDACEAE – CRINUM FAMILY	<i>Crinum uniflorum</i>	
ANACARDIACEAE – CASHEW FAMILY	<i>Buchanania arborescens</i>	
	<i>Euroschinus falcata</i>	Ribbonwood
	* <i>Mangifera indica</i>	Mango
	<i>Rhus taitensis</i>	
ANNONACEAE – CUSTARD APPLE FAMILY	<i>Huberantha nitidissima</i>	
	<i>Uvaria concava</i>	
APOCYNACEAE – FRANGIPANI FAMILY	* <i>Allamanda cathartica</i>	Allamanda
	<i>Alstonia scholaris</i>	Milky Pine
	<i>Alyxia spicata</i>	
	* <i>Catharanthus roseus</i>	Madagascar Periwinkle

Family	Species	Common name
	<i>Cynanchum viminalis</i>	
	<i>Dischidia nummularia</i>	
	<i>Gymnanthera oblonga</i>	Harpoon Bud
	<i>Hoya australis</i>	Hoya
	<i>Ichnocarpus frutescens</i>	
	<i>Parsonsia velutina</i>	
	* <i>Plumeria obtusa</i>	Frangipani
	<i>Tabernaemontana orientalis</i>	Banana Bush
ARACEAE – PHILODENDRON FAMILY	<i>Alocasia brisbanensis</i>	
	<i>Epipremnum pinnatum</i>	
	* <i>Epipremnum pinnatum 'Aureum'</i> , also called <i>Epipremnum aureum</i>	
	* <i>Syngonium podophyllum</i>	Arrowhead
ARALIACEAE – IVY FAMILY	<i>Heptapleurum actinophyllum</i>	
	<i>Polyscias elegans</i>	
ARECACEAE – PALM FAMILY	<i>Cocos nucifera</i>	Coconut
	<i>Livistona muelleri</i>	
	<i>Ptychosperma elegans</i>	Solitaire Palm
ASPARAGACEAE – ASPARAGUS FAMILY	<i>Asparagus racemosus</i>	Asparagus Fern
ASTERACEAE – DAISY FAMILY	* <i>Ageratum conyzoides</i>	Bluetop
	<i>Cyanthillium cinereum</i>	
	* <i>Elephantopus mollis</i>	
	* <i>Eleutheranthera ruderalis</i>	
	* <i>Emilia sonchifolia</i>	Purple Emily
	* <i>Praxelis clematidea</i>	Praxelis
	* <i>Sphagneticola trilobata</i>	
	* <i>Synedrella nodiflora</i>	
BIGNONIACEAE	* <i>Saritaea magnifica</i> , also called <i>Bignonia magnifica</i>	
	* <i>Spathodea campanulata</i>	African Tulip
BROMELIACEAE - BROMELIADS	* <i>Ananas comosus</i>	Pineapple
BURSERACEAE	<i>Canarium australianum</i>	Scrub Turpentine
BYTTNERIACEAE	<i>Abroma molle</i>	
CACTACEAE - CACTI	* <i>Cactaceae</i>	
CALOPHYLLACEAE	<i>Calophyllum australianum</i>	
CANNABACEAE – CANNABIS FAMILY	<i>Trema orientalis</i>	
	<i>Trema tomentosa</i>	
CASUARINACEAE – SHE-OAK FAMILY	<i>Casuarina equisetifolia</i>	
CELASTRACEAE	<i>Denhamia disperma</i>	
	<i>Denhamia fasciculiflora</i>	
	<i>Elaeodendron melanocarpum</i>	
CLEOMACEAE	* <i>Tarenaya aculeata</i>	
COMBRETACEAE	* <i>Combretum indicum</i>	Rangoon Vine

Family	Species	Common name
	<i>Lumnitzera littorea</i>	
	<i>Lumnitzera racemosa</i>	
	<i>Terminalia catappa</i>	Sea Almond
	<i>Terminalia muelleri</i>	
	<i>Terminalia sericocarpa</i>	Sovereignwood
COMMELINACEAE	<i>Commelina ensifolia</i>	
	* <i>Murdannia nudiflora</i>	Nakedstem Dewflower
CONVOLVULACEAE – MORNING GLORIES	* <i>Distimake dissectus</i>	
	* <i>Distimake quinquefolius</i>	
	<i>Evolvulus alsinoides</i>	Tropical Speedwell
	* <i>Ipomoea hederifolia</i>	
	* <i>Ipomoea obscura</i>	
	<i>Ipomoea pes-caprae</i>	
	<i>Ipomoea triloba</i>	
	<i>Xenostegia tridentata</i>	
CORDIACEAE	<i>Cordia dichotoma</i>	Glue Berry
CUCURBITACEAE – CUCUMBER FAMILY	<i>Diplocyclos palmatus</i>	
CYPERACEAE – SEDGE FAMILY	* <i>Cyperus aromaticus</i>	
	<i>Cyperus difformis</i>	
	<i>Cyperus haspan</i>	
	<i>Cyperus iria</i>	
	<i>Cyperus javanicus</i>	
	* <i>Cyperus mindorensis</i>	
	<i>Cyperus polystachyos</i>	
	<i>Fimbristylis acicularis</i>	
	<i>Scleria</i>	
	<i>Scleria levis</i>	
	<i>Scleria mackaviensis</i>	
DIOSCOREACEAE – YAM FAMILY	<i>Dioscorea</i>	
DRACAENACEAE	* <i>Sansevieria trifasciata</i>	Mother-in-law's Tongue
EBENACEAE – PERSIMMON FAMILY	<i>Diospyros compacta</i>	
	<i>Diospyros hebecarpa</i>	
EUPHORBIACEAE	<i>Aleurites rockinghamensis</i>	Candlenut
	<i>Claoxylon hillii</i>	
	* <i>Euphorbia hirta</i>	
	* <i>Euphorbia tithymaloides</i>	
	<i>Excoecaria agallocha</i>	Blind-your-eye Mangrove
	<i>Homalanthus novoguineensis</i>	Bleeding Heart
	<i>Macaranga involucrata</i> var. <i>mallotoides</i>	
	<i>Macaranga tanarius</i>	
	<i>Mallotus philippensis</i>	Red Kamala
	* <i>Manihot esculenta</i>	Cassava
FLAGELLARIACEAE	<i>Flagellaria indica</i>	Supplejack
HELICONIACEAE	* <i>Heliconia psittacorum</i>	

Family	Species	Common name
HEMEROCALLIDACEAE	<i>Dianella</i> <i>Dianella caerulea</i>	
LAMIACEAE – MINT FAMILY	<i>Clerodendrum floribundum</i> <i>Clerodendrum inerme</i> * <i>Hyptis capitata</i> * <i>Mesosphaerum suaveolens</i> <i>Premna serratifolia</i> <i>Vitex rotundifolia</i>	Lolly Bush Scrambling Clerodendrum Coastal Premna Beach Vitex
LAURACEAE – AVOCADO FAMILY	<i>Beilschmiedia obtusifolia</i> <i>Cassytha filiformis</i> <i>Cryptocarya hypospodia</i> <i>Cryptocarya triplinervis</i> var. <i>riparia</i> <i>Litsea fawcettiana</i> <i>Litsea glutinosa</i>	Northern Laurel Brown Bollywood Soft Bollywood
LAXMANNIACEAE	<i>Cordyline cannifolia</i> <i>Cordyline manners-suttoniae</i> <i>Eustrephus latifolius</i>	Wombat Berry
LECYTHIDACEAE – BRAZILNUT FAMILY	<i>Planchonia careya</i>	Cocky Apple
LEGUMINOSAE – PEA FAMILY	<i>Abrus precatorius</i> <i>Acacia auriculiformis</i> <i>Acacia crassicaarpa</i> <i>Acacia flavescens</i> <i>Acacia mangium</i> <i>Acacia oraria</i> <i>Acacia polystachya</i> * <i>Aeschynomene americana</i> <i>Albizia procera</i> * <i>Alysicarpus ovalifolius</i> <i>Archidendron grandiflorum</i> * <i>Bauhinia</i> * <i>Calopogonium mucunoides</i> * <i>Cassia fistula</i> * <i>Centrosema molle</i> * <i>Chamaecrista rotundifolia</i> <i>Crotalaria montana</i> * <i>Crotalaria pallida</i> <i>Cynometra iripa</i> <i>Dalbergia candenatensis</i> * <i>Delonix regia</i> <i>Derris trifoliata</i> * <i>Desmodium triflorum</i> <i>Dunbaria punctata</i> * <i>Erythrina variegata</i> <i>Flemingia parviflora</i> <i>Guilandina bonduc</i> <i>Indigofera hirsuta</i> * <i>Indigofera suffruticosa</i> * <i>Leucaena leucocephala</i>	Crab Eye Pea Red Wattle Broadleaf Salwood Coastal Wattle Wattle Calopo Centro Wynn Cassia Streaked Rattlepod Poinciana Derris Coral Tree Nicker Nut Leucaena

Family	Species	Common name
	* <i>Macroptilium atropurpureum</i>	Siratro
	<i>Millettia pinnata</i>	
	* <i>Mimosa diplotricha</i>	
	* <i>Mimosa pudica</i>	Sensitive Weed
	* <i>Neonotonia wightii</i>	
	* <i>Peltophorum pterocarpum</i>	
	* <i>Senna obtusifolia</i>	Sicklepod
	* <i>Stylosanthes hamata</i>	Stylo
	<i>Tephrosia astragaloides</i>	
LINDERNIACEAE	<i>Bonnaya ciliata</i>	
LORANTHACEAE - MISTLETOES	<i>Amyema sanguinea</i>	
	<i>Amyema conspicua</i>	
	<i>Dendrophthoe curvata</i>	
MALVACEAE – HIBISCUS FAMILY	* <i>Hibiscus rosasinensis</i>	Hibiscus
	<i>Hibiscus tiliaceus</i>	Cottonwood
	* <i>Sida acuta</i>	
	* <i>Sida cordifolia</i>	
	<i>Thespesia populnea</i>	
	* <i>Urena lobata</i>	Urena Burr
MELIACEAE – MAHOGANY FAMILY	<i>Aglaiia elaeagnoidea</i>	
	<i>Didymocheton pettigrewianus</i>	Spur Mahogany
	<i>Didymocheton setosus</i>	Miva Mahogany
	<i>Melia azedarach</i>	White Cedar
MENISPERMACEAE	<i>Pycnarrhena novoguineensis</i>	Common Milk Vine
	<i>Stephania japonica</i>	Tape Vine
	<i>Tinospora smilacina</i>	
MORACEAE – FIG FAMILY	<i>Ficus benjamina</i>	Benjamin Fig
	<i>Ficus microcarpa</i>	Small-fruited Fig
	<i>Ficus obliqua</i>	Small-leaved Fig
	<i>Ficus opposita</i>	Sandpaper Fig
	<i>Ficus racemosa</i>	Cluster Fig
	<i>Ficus virens</i>	Banyan Fig
	<i>Malaisia scandens</i>	
MUSACEAE	* <i>Musa acuminata</i>	Banana
MYRISTICACEAE - NUTMEGS	<i>Myristica globosa subsp. muelleri</i>	Native Nutmeg
MYRSINACEAE	<i>Aegiceras corniculatum</i>	
	<i>Myrsine variabilis</i>	
MYRTACEAE – EUCALYPT FAMILY	<i>Blakella tessellaris</i>	Moreton Bay Ash
	<i>Blakella torelliana</i>	Cadaghi
	<i>Corymbia clarksoniana</i>	Clarkson's Bloodwood
	<i>Eucalyptus acmenoides</i>	
	<i>Eucalyptus leptophleba</i>	Mt Molloy Box
	<i>Eucalyptus platyphylla</i>	Poplar Gum

Family	Species	Common name
	<i>Eucalyptus tereticornis</i>	Forest Red Gum
	<i>Lithomyrtus obtusa</i>	
	<i>Lophostemon confertus</i>	Scrub Box
	<i>Lophostemon suaveolens</i>	Swam Box
	<i>Melaleuca dealbata</i>	
	<i>Melaleuca leucadendra</i>	Weeping Paperbark
	<i>Melaleuca viridiflora</i>	Broad-leaved Paperbark
	<i>Osbornia octodonta</i>	Myrtle Mangrove
NYCTAGINACEAE	* <i>Bougainvillea glabra</i>	Bougainvillea
OLEACEAE – OLIVES AND JASMINES	<i>Chionanthus ramiflorus</i>	Northern Olive
	<i>Jasminum didymum</i>	Native Jasmine
	<i>Jasminum elongatum</i>	
	<i>Jasminum simplicifolium</i> subsp. <i>australiense</i>	
ONAGRACEAE	* <i>Ludwigia hyssopifolia</i>	
	<i>Ludwigia octovalvis</i>	
ORCHIDACEAE - ORCHIDS	<i>Dendrobium canaliculatum</i>	Tea Tree Orchid
	<i>Dendrobium discolor</i>	Golden Orchid
	<i>Geodorum densiflorum</i>	
PANDANACEAE	<i>Pandanus cookii</i>	
PASSIFLORACEAE - PASSIONFRUIT	* <i>Passiflora edulis</i>	
	* <i>Passiflora pallida</i> (also called <i>Passiflora suberosa</i>)	Corky Passionfruit
	* <i>Passiflora versicaria</i> (also called <i>Passiflora foetida</i>)	Stinking Passionfruit
PHYLLANTHACEAE	<i>Breynia cernua</i>	
	<i>Flueggea virosa</i>	Whitecurrant
	<i>Glochidion harveyanum</i>	Harvey's Buttonwood
	<i>Glochidion philippicum</i>	
	<i>Phyllanthus virgatus</i>	
PIPERACEAE	<i>Peperomia leptostachya</i>	
PLANTAGINACEAE	* <i>Scoparia dulcis</i>	
PLUMBAGINACEAE	<i>Aegialitis annulata</i>	
POACEAE – GRASS FAMILY	* <i>Axonopus compressus</i>	
	* <i>Bothriochloa</i>	
	* <i>Chloris inflata</i>	Purpletop Rhodes
	* <i>Chrysopogon aciculatus</i>	
	* <i>Dactyloctenium aegyptium</i>	
	* <i>Echinochloa colona</i>	
	* <i>Eleusine indica</i>	Crowfoot Grass
	<i>Eragrostis</i>	
	<i>Heteropogon triticeus</i>	Giant Spear Grass
	* <i>Hymenachne amplexicaulis</i>	
	<i>Imperata cylindrica</i>	
	* <i>Megathyrsus maximus</i>	Guinea Grass
	* <i>Melinis repens</i>	Red Natal Grass

Family	Species	Common name
	* <i>Oplismenus</i> <i>Paspalidium</i>	
	* <i>Sporobolus cf. pyramidalis</i> <i>Sporobolus virginicus</i>	Salt Couch Grass
	<i>Themeda triandra</i>	Kangaroo Grass
	<i>Tripogonella loliiformis</i>	Five Minute Grass
	* <i>Urochloa mutica</i>	
POLYGALACEAE	* <i>Polygala paniculata</i>	
PORTULACACEAE	* <i>Portulaca pilosa</i>	
PROTEACEAE	<i>Grevillea glauca</i>	Bushman's Clothespeg
RHAMNACEAE	<i>Alphitonia excelsa</i> <i>Alphitonia petriei</i> <i>Colubrina asiatica</i> <i>Rhamnella vitiensis</i>	Red Ash
RHIZOPHORACEAE	<i>Bruguiera gymnorhiza</i> <i>Bruguiera parviflora</i> <i>Carallia brachiata</i> <i>Ceriops tagal</i> <i>Rhizophora stylosa</i>	Orange Mangrove
RUBIACEAE – COFFEE FAMILY	<i>Aidia racemosa</i> <i>Cyclophyllum cf. multiflorum</i> * <i>Ixora coccinea</i> <i>Ixora timorensis</i> * <i>Mitracarpus hirtus</i> <i>Morinda citrifolia</i> * <i>Mussaenda frondosa</i> <i>Myrmecodia beccarii</i> * <i>Oldenlandia corymbosa</i> * <i>Richardia brasiliensis</i> * <i>Spermacoce remota</i> <i>Tarenna dallachiana</i> <i>Timonius timon</i>	Ixora Noni Ant Plant Tim Tim
RUTACEAE – CITRUS FAMILY	<i>Clausena brevistyla</i> <i>Glycosmis trifoliata</i> <i>Melicope elleryana</i> <i>Micromelum minutum</i>	Limeberry
SALICACEAE – WILLOW FAMILY	<i>Casearia grewiaefolia</i> var. <i>gelonioides</i>	
SANTALACEAE – SANDALWOOD FAMILY	<i>Exocarpos latifolius</i>	
SAPINDACEAE – LYCHEE FAMILY	<i>Allophylus cobbe</i> <i>Cupaniopsis anacardioides</i> <i>Ganophyllum falcatum</i> <i>Guioa acutifolia</i> <i>Jagera pseudorhus</i> <i>Mischocarpus anodontus</i> <i>Toechima daemelianum</i>	Tuckeroo Cape Tamarind
SAPOTACEAE – SAPOTE FAMILY	<i>Mimusops elengi</i>	Red Coondoo

Family	Species	Common name
	<i>Planchonella obovata</i>	Black Ash
SIMAROUBACEAE	<i>Brucea javanica</i>	
SMILACACEAE	<i>Smilax australis</i>	Sarsparilla
SOLANACEAE – TOMATO FAMILY	* <i>Physalis angulata</i>	
	* <i>Solanum seaforthianum</i>	
	* <i>Solanum torvum</i>	Devil's Apple
SPARRMANNIACEAE	<i>Grewia savannicola</i>	Dysentery Bush
	* <i>Triumfetta rhomboidea</i>	Chinese Burr
STERCULIACEAE	<i>Brachychiton acerifolius</i>	Flame Tree
	<i>Hertiera littoralis</i>	Looking-glass Mangrove
TACCACEAE	<i>Tacca leontopetaloides</i>	Polynesian Arrowroot
THYMELAEACEAE	<i>Pimelea cornucopiae</i>	
VERBENACEAE	* <i>Citharexylum spinosum</i>	
	* <i>Lantana camara</i>	Lantana
	* <i>Stachytarpheta cayennensis</i>	Snakeweed
	* <i>Stachytarpheta jamaicensis</i>	Snakeweed
VITACEAE – GRAPE FAMILY	<i>Ampelocissus acetosa</i>	
	<i>Apocissus oblonga</i>	
	<i>Causonis maritima</i>	
ZINGIBERACEAE – GINGER FAMILY	<i>Alpinia caerulea</i>	Native Ginger
	* <i>Curcuma</i>	